

PRODUCT CATALOG

Affordable Shelving

www.affordablesheving.com

*Call Toll Free
1-800-834-3834*

Lowest Prices... Guaranteed!



WORKBENCHES




SERVICE CARTS



PLATFORM TRUCKS



PLASTIC BIN UNITS



PALLET RACK



CANTILEVER RACK



FASTRAK



BOLTLESS SHELVING



NSF



WIRE SHELVING

Boltless Shelving Component Listing

Upright Post


- 14 Gauge Construction
- 1 1/2" x 1 1/2" Regular Duty Post
- 1 7/8" x 1 7/8" Heavy Duty Post



Part #	Height	Weight (lbs.)
Regular Duty		
200-P2.5	2.5'	1.5
200-P3	3.0'	1.8
200-P4	4.0'	2.4
200-P5	5.0'	3.0
200-P6	6.0'	3.6
200-P7	7.0'	4.2
200-P8	8.0'	4.8
200-P9	9.0'	5.3
200-P10	10.0'	6.1
200-P12	12.0'	7.2
Heavy Duty		
200-PH7	7'	5.7
200-PH8	8'	6.5
200-PH10	10'	8.1
200-PH12	12'	10.0
(8 pcs per bundle / 200 pcs per master bundle)		

Single Rivet Beam

- Regular Duty - 14 Gauge
- Heavy Duty - 11 Gauge
- 1" Height
- Use as a left to right or front to back



Part #	Length	Weight (lbs.)
Regular Duty		
200-SR12	12"	0.5
200-SR18	18"	0.7
200-SR24	24"	0.9
200-SR30	30"	1.2
200-SR36	36"	1.4
200-SR42	42"	1.6
200-SR48	48"	1.8
Heavy Duty		
200-SRH36	36"	2.4
200-SRH48	48"	3.2
200-SRH60	60"	4.0
(20 pcs per bundle / 500 pcs per master bundle)		

Tie Plate


- Use to connect units side by side in rows



Part #	Wt. (lbs.)
200-TP	0.2

Footplates

- Use to anchor units to the ground



Part #	Wt. (lbs.)
200-FPD (Double)	0.4
200-FPR (Right)	0.2
200-FPL (Left)	0.2

Double Rivet Beam


- 16 Gauge Construction
- 2 3/4" Height
- Use as a left to right or front to back



Part #	Length	Weight (lbs.)
200-DR12	12"	0.7
200-DR15	15"	0.8
200-DR18	18"	1.0
200-DR24	24"	1.3
200-DR30	30"	1.7
200-DR36	36"	2.0
200-DR42	42"	2.3
200-DR48	48"	2.7
200-DR60*	60"	4.3
200-DR69*	69"	4.9
200-DR72*	72"	5.1
200-DR84*	84"	6.0
200-DR96*	96"	6.8
*14 Gauge Construction (10 pcs per bundle / 250 pcs per master bundle)		

Double Rivet Channel Beam

- Regular Duty - 14 Gauge
- Heavy Duty - 11 Gauge
- 2 3/4" Height
- Use as a left to right for greater shelf capacity



Part #	Length	Weight (lbs.)
Regular Duty		
200-DC72	72"	6.1
200-DC96	96"	8.1
Heavy Duty		
200-DCH72	72"	9.6
200-DCH96	96"	12.8
(10 pcs per bundle / 250 pcs per master bundle)		

Shelf Deck Support


- 16 Gauge Construction
- 2 1/2" Height
- Adds capacity to shelf when bolted between Double Rivet Beams or Double Rivet Channel Beams



Part #	Length	Weight (lbs.)
200-SDS12	12"	0.7
200-SDS15	15"	0.8
200-SDS18	18"	0.9
200-SDS24	24"	1.2
200-SDS30	30"	1.5
200-SDS36	36"	1.8
200-SDS48	48"	2.5
(10 pcs per bundle / 200 pcs per master bundle)		

Shelving Label Holders


- Durable clear plastic will not crack, peel, fade or fall off
- Insert paper may be reversed, remarked and re-inserted when changes are required
- Laser / Jet Inkjet paper inserts included



Part Number	Description	Qty Per Pack
200-L231	3/4" x 6", Self-Adhesive	12
200-L211	1" x 6", Self-Adhesive	12
200-L251	2" x 6", Self-Adhesive	12
200-M211	1" x 6", Magnetic	12
200-M261	2 1/2" x 6", Magnetic	12

Mobile Shelf Cart Bases


Constructed from heavy duty steel, these highly functional Mobile Shelf Cart Bases are available in a variety of sizes to fit your every need. These cart bases include heavy duty 5" bolted casters (2 rigid and 2 swivel). Capacity: 700 lbs. per base. Color: Gray.



Part #	Description	Weight (lbs.)
MC3624	Mobile Cart Base 36" x 24"	21.5
MC4812	Mobile Cart Base 48" x 12"	20.0
MC4818	Mobile Cart Base 48" x 18"	21.5
MC4824	Mobile Cart Base 48" x 24"	23.0
MC4836	Mobile Cart Base 48" x 36"	27.0
MC6018	Mobile Cart Base 60" x 18"	22.0
MC6024	Mobile Cart Base 60" x 24"	24.5
MC6030	Mobile Cart Base 60" x 30"	26.0
MC6036	Mobile Cart Base 60" x 36"	27.5

Wall Tie

- To secure boltless shelving units to wall
- Provides 9" of space between wall and units



Part #	Length	Weight (lbs.)
200-WT09	9 1/4"	7.7

Particle Board Decking

Particle Board Decking provides strong and durable shelf surface. 1/2" thick particle board decking is recommended for standard to light duty applications. 3/4" thick particle board decking is ideal for heavy duty applications.



- 1/2" Available for Light Duty Applications
- 3/4" Available for Heavy Duty Applications

	1/2" Particle Board	3/4" Particle Board
Size W x D	Model Number	Model Number
36" x 12"	240-013612	240-023612
36" x 18"	240-013618	240-023618
36" x 24"	240-013624	240-023624
36" x 36"	240-013636	240-023636
42" x 15"	240-014215	240-024215
42" x 30"	240-014230	240-024230
48" x 12"	240-014812	240-024812
48" x 18"	240-014818	240-024818
48" x 24"	240-014824	240-024824
48" x 30"	240-014830	240-024830
48" x 36"	240-014836	240-024836
48" x 42"	240-014842	240-024842
48" x 48"	240-014848	240-024848
60" x 12"	240-016012	240-026012
60" x 18"	240-016018	240-026018
60" x 24"	240-016024	240-026024
60" x 30"	240-016030	240-026030
60" x 36"	240-016036	240-026036
60" x 42"	240-016042	240-026042
60" x 48"	240-016048	240-026048
69" x 15"	240-016915	240-026915
69" x 30"	240-016930	240-026930
72" x 12"	240-017212	240-027212
72" x 18"	240-017218	240-027218
72" x 24"	240-017224	240-027224
72" x 30"	240-017230	240-027230
72" x 36"	240-017236	240-027236
72" x 42"	240-017242	240-027242
72" x 48"	240-017248	240-027248
84" x 12"	240-018412	240-028412
84" x 18"	240-018418	240-028418
84" x 24"	240-018424	240-028424
84" x 30"	240-018430	240-028430
84" x 36"	240-018436	240-028436
84" x 42"	240-018442	240-028442
84" x 48"	240-018448	240-028448
96" x 12"	240-019612	240-029612
96" x 18"	240-019618	240-029618
96" x 24"	240-019624	240-029624
96" x 30"	240-019630	240-029630
96" x 36"	240-019636	240-029636
96" x 42"	240-019642	240-029642
96" x 48"	240-019648	240-029648


Series 200B

BULK STORAGE SHELVING

Medium to Heavy Loads



**Additional
Heights
Available!**




Boltless Design

Model Number Code:


B3-7218-84WHCR

Series 200B _____
 Number of Shelves _____
 Shelf Width in Inches _____
 Shelf Depth in Inches _____
 Unit Height in Inches _____
 Particle Board Decking Included _____
 Shelf Deck Support Included (1 per shelf) _____
 Channel Beam _____
 Heavy Duty Channel Beam, 1 7/8" x 1 7/8" Heavy Duty Post, 3/4" Particle Board Decking _____


Series 200B Shelf Illustration



Top Shelf



Middle Shelf / Shelves








Bottom Shelf

- No Nuts, Bolts or Shelf Clips
- 14 Gauge Post
- Accessible from all four sides
- Shelves are adjustable every 1 1/2"
- Available with or without Particle Board Decking

Series 200B

This high capacity shelving utilizes Double Rivet Beams to increase capacities and allow for wide span applications. These units are manufactured from heavy duty steel and feature the Series 200 boltless design which provides for easy installation without nuts, bolts or shelf clips. Shelves are accessible from all four sides and can be adjusted every 1^{1/2"}. These units are available with or without particle board decking. Units priced at 7' tall. Other heights available for immediate shipment. Units come standard with 3 adjustable shelves. Extra shelves available separately. Finish color: Gray.

With Particle Board Shelves	Model Number	Extra Shelf	Dimensions W x D x H	Shelf Cap.	Without Particle Board Shelves	Model Number	Extra Shelf
 4 Ft. Width	B3-4818-84W	BX1-4818-W	48 x 18 x 84	1000	 4 Ft. Width	B3-4818-84	BX1-4818
	B3-4824-84W	BX1-4824-W	48 x 24 x 84	1000		B3-4824-84	BX1-4824
	B3-4830-84W	BX1-4830-W	48 x 30 x 84	1000		B3-4830-84	BX1-4830
	B3-4836-84WH	BX1-4836-WH	48 x 36 x 84	1000		B3-4836-84H	BX1-4836-H
	B3-4848-84WH	BX1-4848-WH	48 x 48 x 84	1000		B3-4848-84H	BX1-4848-H
 5 Ft. Width	B3-6018-84W	BX1-6018-W	60 x 18 x 84	750	 5 Ft. Width	B3-6018-84	BX1-6018
	B3-6018-84WH	BX1-6018-WH	60 x 18 x 84	1200		B3-6018-84H	BX1-6018-H
	B3-6024-84W	BX1-6024-W	60 x 24 x 84	750		B3-6024-84	BX1-6024
	B3-6024-84WH	BX1-6024-WH	60 x 24 x 84	1200		B3-6024-84H	BX1-6024-H
	B3-6030-84W	BX1-6030-W	60 x 30 x 84	750		B3-6030-84	BX1-6030
	B3-6030-84WH	BX1-6030-WH	60 x 30 x 84	1200		B3-6030-84H	BX1-6030-H
	B3-6036-84W	BX1-6036-W	60 x 36 x 84	750		B3-6036-84	BX1-6036
	B3-6036-84WH	BX1-6036-WH	60 x 36 x 84	1200		B3-6036-84H	BX1-6036-H
	B3-6048-84W	BX1-6048-W	60 x 48 x 84	750		B3-6048-84	BX1-6048
	B3-6048-84WH	BX1-6048-WH	60 x 48 x 84	1200		B3-6048-84H	BX1-6048-H
 6 Ft. Width	B3-7218-84W	BX1-7218-W	72 x 18 x 84	600	 6 Ft. Width	B3-7218-84	BX1-7218
	B3-7218-84WH	BX1-7218-WH	72 x 18 x 84	1000		B3-7218-84H	BX1-7218-H
	B3-7218-84WHC	BX1-7218-WHC	72 x 18 x 84	1500		B3-7218-84HC	BX1-7218-HC
	B3-7218-84WHR	BX1-7218-WHR	72 x 18 x 84	2000		B3-7218-84HR	BX1-7218-HR
	B3-7224-84W	BX1-7224-W	72 x 24 x 84	600		B3-7224-84	BX1-7224
	B3-7224-84WH	BX1-7224-WH	72 x 24 x 84	1000		B3-7224-84H	BX1-7224-H
	B3-7224-84WHC	BX1-7224-WHC	72 x 24 x 84	1500		B3-7224-84HC	BX1-7224-HC
	B3-7224-84WHR	BX1-7224-WHR	72 x 24 x 84	2000		B3-7224-84HR	BX1-7224-HR
	B3-7230-84W	BX1-7230-W	72 x 30 x 84	600		B3-7230-84	BX1-7230
	B3-7230-84WH	BX1-7230-WH	72 x 30 x 84	1000		B3-7230-84H	BX1-7230-H
	B3-7230-84WHC	BX1-7230-WHC	72 x 30 x 84	1500		B3-7230-84HC	BX1-7230-HC
	B3-7230-84WHR	BX1-7230-WHR	72 x 30 x 84	2000		B3-7230-84HR	BX1-7230-HR
	B3-7236-84W	BX1-7236-W	72 x 36 x 84	600		B3-7236-84	BX1-7236
	B3-7236-84WH	BX1-7236-WH	72 x 36 x 84	1000		B3-7236-84H	BX1-7236-H
	B3-7236-84WHC	BX1-7236-WHC	72 x 36 x 84	1500		B3-7236-84HC	BX1-7236-HC
	B3-7236-84WHR	BX1-7236-WHR	72 x 36 x 84	2000		B3-7236-84HR	BX1-7236-HR
	B3-7248-84W	BX1-7248-W	72 x 48 x 84	600		B3-7248-84	BX1-7248
	B3-7248-84WH	BX1-7248-WH	72 x 48 x 84	1000		B3-7248-84H	BX1-7248-H
	B3-7248-84WHC	BX1-7248-WHC	72 x 48 x 84	1500		B3-7248-84HC	BX1-7248-HC
	B3-7248-84WHR	BX1-7248-WHR	72 x 48 x 84	2000		B3-7248-84HR	BX1-7248-HR
 7 Ft. Width	B3-8418-84WH	BX1-8418-WH	84 x 18 x 84	600	 7 Ft. Width	B3-8418-84H	BX1-8418-H
	B3-8424-84WH	BX1-8424-WH	84 x 24 x 84	600		B3-8424-84H	BX1-8424-H
	B3-8430-84WH	BX1-8430-WH	84 x 30 x 84	600		B3-8430-84H	BX1-8430-H
	B3-8436-84WH	BX1-8436-WH	84 x 36 x 84	600		B3-8436-84H	BX1-8436-H
	B3-8448-84WH	BX1-8448-WH	84 x 48 x 84	600		B3-8448-84H	BX1-8448-H
 8 Ft. Width	B3-9618-84WH	BX1-9618-WH	96 x 18 x 84	600	 8 Ft. Width	B3-9618-84H	BX1-9618-H
	B3-9618-84WHC	BX1-9618-WHC	96 x 18 x 84	1000		B3-9618-84HC	BX1-9618-HC
	B3-9618-84WHR	BX1-9618-WHR	96 x 18 x 84	1500		B3-9618-84HR	BX1-9618-HR
	B3-9624-84WH	BX1-9624-WH	96 x 24 x 84	600		B3-9624-84H	BX1-9624-H
	B3-9624-84WHC	BX1-9624-WHC	96 x 24 x 84	1000		B3-9624-84HC	BX1-9624-HC
	B3-9624-84WHR	BX1-9624-WHR	96 x 24 x 84	1500		B3-9624-84HR	BX1-9624-HR
	B3-9630-84WH	BX1-9630-WH	96 x 30 x 84	600		B3-9630-84H	BX1-9630-H
	B3-9630-84WHC	BX1-9630-WHC	96 x 30 x 84	1000		B3-9630-84HC	BX1-9630-HC
	B3-9630-84WHR	BX1-9630-WHR	96 x 30 x 84	1500		B3-9630-84HR	BX1-9630-HR
	B3-9636-84WH	BX1-9636-WH	96 x 36 x 84	600		B3-9636-84H	BX1-9636-H
	B3-9636-84WHC	BX1-9636-WHC	96 x 36 x 84	1000		B3-9636-84HC	BX1-9636-HC
	B3-9636-84WHR	BX1-9636-WHR	96 x 36 x 84	1500		B3-9636-84HR	BX1-9636-HR
	B3-9648-84WH	BX1-9648-WH	96 x 48 x 84	600		B3-9648-84H	BX1-9648-H
	B3-9648-84WHC	BX1-9648-WHC	96 x 48 x 84	1000		B3-9648-84HC	BX1-9648-HC
	B3-9648-84WHR	BX1-9648-WHR	96 x 48 x 84	1500		B3-9648-84HR	BX1-9648-HR

Series 200A


LOW PROFILE SHELVING

Light to Medium Loads

Additional
Heights
Available!



- No Nuts, Bolts or Shelf Clips
- 14 Gauge Post
- Accessible from all four sides
- Shelves are adjustable every 1 1/2"
- Available with or without Particle Board Decking




Boltless Design


Model Number Code:

Series 200A _____ AH7-4824-84W
 Heavy Duty Shelving _____
 Number of Shelves _____
 Shelf Width in Inches _____
 Shelf Depth in Inches _____
 Unit Height in Inches _____
 Particle Board Decking Included _____

Series 200A Shelf Illustration




Top Shelf



* (SR) side supports included with heavy duty units



Middle Shelves



Bottom Shelf

Series 200A

This durable shelving utilizes low profile Single Rivet Beams to maximize available storage space. Manufactured from heavy duty steel, these units feature the Series 200 boltless design which provides for easy installation without nuts, bolts or shelf clips. Shelves can be adjusted every 1^{1/2}" and are accessible from all four sides. Standard height 7'. Other heights available. Standard duty shelving utilizes 1/2" Industrial Grade particle board decking. Heavy duty shelving utilizes 3/4" particle board decking. Available with or without particle board decking. Finish color: Gray.

	Standard Duty Shelving				Heavy Duty Shelving		
	Model No. With Board	Model No. Without Board	Shelf Cap.	Dimensions W x D x H	Model No. With Board	Model No. Without Board	Shelf Cap.
 4 Shelves	A4-3612-84W	A4-3612-84	300	36 x 12 x 84	AH4-3612-84W	AH4-3612-84	500
	A4-3618-84W	A4-3612-84	300	36 x 18 x 84	AH4-3618-84W	AH4-3618-84	500
	A4-3624-84W	A4-3612-84	300	36 x 24 x 84	AH4-3624-84W	AH4-3624-84	500
	A4-4812-84W	A4-4812-84	225	48 x 12 x 84	AH4-4812-84W	AH4-4812-84	375
	A4-4818-84W	A4-4812-84	225	48 x 18 x 84	AH4-4818-84W	AH4-4818-84	375
	A4-4824-84W	A4-4812-84	225	48 x 24 x 84	AH4-4824-84W	AH4-4824-84	375
	A4-4836-84W	A4-4836-84	225	48 x 36 x 84	AH4-4836-84W	AH4-4836-84	375
	A4-6012-84W	A4-6012-84	150	60 x 12 x 84	AH4-6012-84W	AH4-6012-84	250
	A4-6018-84W	A4-6018-84	150	60 x 18 x 84	AH4-6018-84W	AH4-6018-84	250
	A4-6024-84W	A4-6024-84	150	60 x 24 x 84	AH4-6024-84W	AH4-6024-84	250
	A4-6036-84W	A4-6036-84	150	60 x 36 x 84	AH4-6036-84W	AH4-6036-84	250
 5 Shelves	A5-3612-84W	A5-3612-84	300	36 x 12 x 84	AH5-3612-84W	AH5-3612-84	500
	A5-3618-84W	A5-3618-84	300	36 x 18 x 84	AH5-3618-84W	AH5-3618-84	500
	A5-3624-84W	A5-3624-84	300	36 x 24 x 84	AH5-3624-84W	AH5-3624-84	500
	A5-4812-84W	A5-4812-84	225	48 x 12 x 84	AH5-4812-84W	AH5-4812-84	375
	A5-4818-84W	A5-4818-84	225	48 x 18 x 84	AH5-4818-84W	AH5-4818-84	375
	A5-4824-84W	A5-4824-84	225	48 x 24 x 84	AH5-4824-84W	AH5-4824-84	375
	A5-4836-84W	A5-4836-84	225	48 x 36 x 84	AH5-4836-84W	AH5-4836-84	375
	A5-6012-84W	A5-6012-84	150	60 x 12 x 84	AH5-6012-84W	AH5-6012-84	250
	A5-6018-84W	A5-6018-84	150	60 x 18 x 84	AH5-6018-84W	AH5-6018-84	250
	A5-6024-84W	A5-6024-84	150	60 x 24 x 84	AH5-6024-84W	AH5-6024-84	250
	A5-6036-84W	A5-6036-84	150	60 x 36 x 84	AH5-6036-84W	AH5-6036-84	250
 6 Shelves	A6-3612-84W	A6-3612-84	300	36 x 12 x 84	AH6-3612-84W	AH6-3612-84	500
	A6-3618-84W	A6-3618-84	300	36 x 18 x 84	AH6-3618-84W	AH6-3618-84	500
	A6-3624-84W	A6-3624-84	300	36 x 24 x 84	AH6-3624-84W	AH6-3624-84	500
	A6-4812-84W	A6-4812-84	225	48 x 12 x 84	AH6-4812-84W	AH6-4812-84	375
	A6-4818-84W	A6-4818-84	225	48 x 18 x 84	AH6-4818-84W	AH6-4818-84	375
	A6-4824-84W	A6-4824-84	225	48 x 24 x 84	AH6-4824-84W	AH6-4824-84	375
	A6-4836-84W	A6-4836-84	225	48 x 36 x 84	AH6-4836-84W	AH6-4836-84	375
	A6-6012-84W	A6-6012-84	150	60 x 12 x 84	AH6-6012-84W	AH6-6012-84	250
	A6-6018-84W	A6-6018-84	150	60 x 18 x 84	AH6-6018-84W	AH6-6018-84	250
	A6-6024-84W	A6-6024-84	150	60 x 24 x 84	AH6-6024-84W	AH6-6024-84	250
	A6-6036-84W	A6-6036-84	150	60 x 36 x 84	AH6-6036-84W	AH6-6036-84	250
EXTRA SHELVES	AX1-3612-W	AX1-3612	300	36 x 12	AHX1-3612-W	AHX1-3612	500
	AX1-3618-W	AX1-3618	300	36 x 18	AHX1-3618-W	AHX1-3618	500
	AX1-3624-W	AX1-3624	300	36 x 24	AHX1-3624-W	AHX1-3624	500
	AX1-4812-W	AX1-4812	225	48 x 12	AHX1-4812-W	AHX1-4812	375
	AX1-4818-W	AX1-4818	225	48 x 18	AHX1-4818-W	AHX1-4818	375
	AX1-4824-W	AX1-4824	225	48 x 24	AHX1-4824-W	AHX1-4824	375
	AX1-4836-W	AX1-4836	225	48 x 36	AHX1-4836-W	AHX1-4836	375
	AX1-6012-W	AX1-6012	150	60 x 12	AHX1-6012-W	AHX1-6012	250
	AX1-6018-W	AX1-6018	150	60 x 18	AHX1-6018-W	AHX1-6018	250
	AX1-6024-W	AX1-6024	150	60 x 24	AHX1-6024-W	AHX1-6024	250
	AX1-6036-W	AX1-6036	150	60 x 36	AHX1-6036-W	AHX1-6036	250

Record Archive Storage Units

These Record Archive Storage Units utilize the Series 200 shelf capacity and boltless design which provides for quick and easy assembly. Heavy duty boltless shelving allows access to file boxes from either side of the unit. Available with or without 1/2" Particle Board Decking. Archive storage boxes available separately.

Series 200B



Model# B4-6915-84W
with 40 Archive Storage Boxes

Model# B4-6930-84WH
with 80 Archive Storage Boxes

- High Capacity Boltless Shelving
- Available with or without archive storage boxes
- Available 15", 24", 30" and 48" deep

Series 200A



Model# A7-4215-84W
(Rear Unit)

Model# A5-4215-60W
(Front Unit)

Series 200B

				With Particle Board	Without Particle Board
Unit Width	Unit Height	Box Cap.	Unit Depth	Model Number	Model Number
Archive Shelving for 15" Deep Boxes					
69"	60"	30	Single	B3-6915-60W	B3-6915-60
69"	84"	40	Single	B4-6915-84W	B4-6915-84
69"	108"	50	Single	B5-6915-108W	B5-6915-108
42"	60"	36	Double	B3-4230-60WH	B3-4230-60H
42"	84"	48	Double	B4-4230-84WH	B4-4230-84H
69"	60"	60	Double	B3-6930-60WH	B3-6930-60H
69"	84"	80	Double	B4-6930-84WH	B4-6930-84H
69"	108"	100	Double	B5-6930-108WH	B5-6930-108H
Archive Shelving for 24" Deep Boxes					
69"	60"	30	Single	B3-6924-60W	B3-6924-60
69"	84"	40	Single	B4-6924-84W	B4-6924-84
69"	108"	50	Single	B5-6924-108W	B5-6924-108
69"	60"	60	Double	B3-6948-60WH	B3-6948-60H
69"	84"	80	Double	B4-6948-84WH	B4-6948-84H
69"	108"	100	Double	B5-6948-108WH	B5-6948-108H

Series 200A

				With Particle Board	Without Particle Board
Unit Width	Unit Height	Box Cap.	Unit Depth	Model Number	Model Number
Archive Shelving for 15" Deep Boxes					
42"	60"	15		A5-4215-60W	A5-4215-60
42"	84"	21		A7-4215-84W	A7-4215-84

Standard Archive Boxes

225-SF1 These rugged 200# corrugated boxes are ideal for storing documents. Boxes can accommodate either letter size or legal size records. Sold 10 boxes per bundle. Color: White. 15"D x 12"W x 11"H



Banker Archive Boxes

225-SF2 Double walled panels and reinforced handles provide added strength and durability. Tight fitting lid adds rigidity and can be removed for easy access to records. Sold 10 boxes per bundle. Color: White. 24"D x 12"W x 11"H




FastRak Record Archive Storage Units

Made from our popular FastRak, these archive racks are built to hold even your heaviest archive boxes. Each level will hold a full 1600 lbs. Units can be ordered to accommodate either standard archive boxes (15" deep) or banker boxes (24" deep) and are available with or without boxes. Single deep and double deep units available. Please use "W" at end of model numbers for units *Without Boxes* or "WS" for units *With Boxes*.

			Starter Unit	Add-On Unit
Size W x D x H	# of Levels	Box Cap.	Model Number	Model Number
96" x 18" x 96"	4	56	F34S-9618096W/WS*	F34T-9618096W/WS*
96" x 18" x 120"	5	70	F35S-9618120W/WS*	F35T-9618120W/WS*
96" x 24" x 96"	4	56	F34S-9624096W/WS**	F34T-9624096W/WS**
96" x 24" x 120"	5	70	F35S-9624120W/WS**	F35T-9624120W/WS**
96" x 36" x 96"	4	112	F34S-9636096W/WS*	F34T-9636096W/WS*
96" x 36" x 120"	5	140	F35S-9636120W/WS*	F35T-9636120W/WS*
96" x 48" x 96"	4	112	F34S-9648096W/WS**	F34T-9648096W/WS**
96" x 48" x 120"	5	140	F35S-9648120W/WS**	F35T-9648120W/WS**

*Units measuring 18" Deep and 36" Deep come with 15" Deep Standard Archive Boxes

**Units measuring 24" Deep and 48" Deep come with 24" Deep Banker Archive Boxes



Model# F34S-9618096WS

Model# F35S-9636120WS

FastRak Tire Storage Rack

The *FastRak* design makes these extra heavy duty units perfect for storing today's larger tires. Recommended for tires that accommodate 16" and larger rims. 48"W, 72"W, and 96"W units accommodate 6, 9, and 12 tires (estimated) per level respectively. All units are 18" deep. No special tools needed. Assembles in minutes. Units can be anchored to floor (anchors sold separately).

Starter Unit				Add-On Unit		
Unit Size W x D x H	Model Number	# of Levels	Wt.	Model Number	# of Levels	Wt.
48" x 18" x 96"	F33S-4818096	3	102	F33T-4818096	3	78
48" x 18" x 120"	F34S-4818120	4	136	F34T-4818120	4	104
72" x 18" x 96"	F33S-7218096	3	120	F33T-7218096	3	96
72" x 18" x 120"	F34S-7218120	4	160	F34T-7218120	4	128
96" x 18" x 96"	F33S-9618096	3	144	F33T-9618096	3	120
96" x 18" x 120"	F34S-9618120	4	192	F34T-9618120	4	160



Concrete Wedge Anchors
w/ nut & washer

235-FA01

Tire Storage Rack

These Tire Storage Rack units use our bulk storage series 200B boltless shelving components, which allow for a multiple variety of standard passenger car tire storage units. Units assemble in minutes. Units are 60"W x 12"D and accommodate 8 standard unmounted passenger car tires per level. The 60" high and the 84" high units include two 9" wall mounts. The 120" high and the 144" high units include four 9" wall mounts.



- Easy to assemble
- Heavy Duty Boltless Shelving
- Available in various heights


Extra Shelf	
Model	W x D
BXT1-6012	60 x 12

Model Number	Unit Size W x D x H	# of Levels	Wt.	Tire Cap*
BT2-6012-60	60" x 12" x 60"	2	36	16
BT3-6012-84	60" x 12" x 84"	3	51	24
BT4-6012-120	60" x 12" x 120"	4	71	32
BT5-6012-144	60" x 12" x 144"	5	86	40

* Capacity based on standard unmounted passenger car tires.

Reel Rack

These Reel Rack units use our heavy duty series 200B boltless shelving components which make them rigid and durable. Unit comes complete with 1/2" diameter rod which accommodates up to 500 lbs. per level. Reel rod storage height is adjustable on 1 1/2" side supports. Each level can accommodate up to three rods. Units are 36"W x 24"D. (Reels not included.)



- Holds up to 500 lbs. per level
- Durable and rigid
- Reel rod level adjustable every 1 1/2"

Reel Rack				Extra Levels	Extra Rods
Model Number	Unit Height	# of Levels	Wt.	Model Number	Model Number
BR3-3624-36	36"	3	36	BRX-3624	BRR-36
BR4-3624-60	60"	4	46	BRX-3624	BRR-36
BR5-3624-72	72"	5	53	BRX-3624	BRR-36
BR6-3624-96	96"	6	63	BRX-3624	BRR-36

Series 200

Workbenches / Packing Tables

These sturdy workbench / packing tables are available in a variety of sizes to fit your specific needs. These units utilize the Series 200B bottless design which allows for quick and easy assembly. All worksurfaces are 36" high. Elevated shelves are 24" above worksurface and 12" Deep. These units are available with or without 1/2" particle board decking. Finish Color: Gray.



1. Worksurface only

With Decking		Without Decking
Model Number	Size W x D	Model Number
1. Worksurface only		
BW1-4824-W	48" x 24"	BW1-4824
BW1-4830-W	48" x 30"	BW1-4830
BW1-4836-W	48" x 36"	BW1-4836
BW1-4848-W	48" x 48"	BW1-4848
BW1-6024-W	60" x 24"	BW1-6024
BW1-6030-W	60" x 30"	BW1-6030
BW1-6036-W	60" x 36"	BW1-6036
BW1-6048-W	60" x 48"	BW1-6048
BW1-7224-W	72" x 24"	BW1-7224
BW1-7230-W	72" x 30"	BW1-7230
BW1-7236-W	72" x 36"	BW1-7236
BW1-7248-W	72" x 48"	BW1-7248
BW1-9624-W	96" x 24"	BW1-9624
BW1-9630-W	96" x 30"	BW1-9630
BW1-9636-W	96" x 36"	BW1-9636
BW1-9648-W	96" x 48"	BW1-9648



2. Worksurface plus bottom shelf

With Decking		Without Decking
Model Number	Size W x D	Model Number
2. Worksurface plus bottom shelf		
BW2-4824-W	48" x 24"	BW2-4824
BW2-4830-W	48" x 30"	BW2-4830
BW2-4836-W	48" x 36"	BW2-4836
BW2-4848-W	48" x 48"	BW2-4848
BW2-6024-W	60" x 24"	BW2-6024
BW2-6030-W	60" x 30"	BW2-6030
BW2-6036-W	60" x 36"	BW2-6036
BW2-6048-W	60" x 48"	BW2-6048
BW2-7224-W	72" x 24"	BW2-7224
BW2-7230-W	72" x 30"	BW2-7230
BW2-7236-W	72" x 36"	BW2-7236
BW2-7248-W	72" x 48"	BW2-7248
BW2-9624-W	96" x 24"	BW2-9624
BW2-9630-W	96" x 30"	BW2-9630
BW2-9636-W	96" x 36"	BW2-9636
BW2-9648-W	96" x 48"	BW2-9648



3. Worksurface plus top shelf

With Decking		Without Decking
Model Number	Size W x D	Model Number
3. Worksurface plus top shelf		
BW3-4824-W	48" x 24"	BW3-4824
BW3-4830-W	48" x 30"	BW3-4830
BW3-4836-W	48" x 36"	BW3-4836
BW3-4848-W	48" x 48"	BW3-4848
BW3-6024-W	60" x 24"	BW3-6024
BW3-6030-W	60" x 30"	BW3-6030
BW3-6036-W	60" x 36"	BW3-6036
BW3-6048-W	60" x 48"	BW3-6048
BW3-7224-W	72" x 24"	BW3-7224
BW3-7230-W	72" x 30"	BW3-7230
BW3-7236-W	72" x 36"	BW3-7236
BW3-7248-W	72" x 48"	BW3-7248
BW3-9624-W	96" x 24"	BW3-9624
BW3-9630-W	96" x 30"	BW3-9630
BW3-9636-W	96" x 36"	BW3-9636
BW3-9648-W	96" x 48"	BW3-9648




4. Worksurface plus top and bottom shelves

With Decking		Without Decking
Model Number	Size W x D	Model Number
4. Worksurface plus top and bottom shelves		
BW4-4824-W	48" x 24"	BW4-4824
BW4-4830-W	48" x 30"	BW4-4830
BW4-4836-W	48" x 36"	BW4-4836
BW4-4848-W	48" x 48"	BW4-4848
BW4-6024-W	60" x 24"	BW4-6024
BW4-6030-W	60" x 30"	BW4-6030
BW4-6036-W	60" x 36"	BW4-6036
BW4-6048-W	60" x 48"	BW4-6048
BW4-7224-W	72" x 24"	BW4-7224
BW4-7230-W	72" x 30"	BW4-7230
BW4-7236-W	72" x 36"	BW4-7236
BW4-7248-W	72" x 48"	BW4-7248
BW4-9624-W	96" x 24"	BW4-9624
BW4-9630-W	96" x 30"	BW4-9630
BW4-9636-W	96" x 36"	BW4-9636
BW4-9648-W	96" x 48"	BW4-9648


FastRak Workbench

The *FastRak* workbench utilizes the same heavy-duty components as our popular *FastRak* bulk shelving. Extremely rugged, supporting 1800 lbs. on a 72" wide unit. Worksurface is approximately 36" high. Easy to assemble: Heavy-duty step beams lock into one-piece, all-welded steel legs. Thick 3/4" particle board fits inside step beams and is supported by steel supports to provide an exceptionally strong worksurface. Great for heavy-duty applications including workshops, shipping/receiving and assembly lines. Workbench is available with or without lower shelf.



Single Shelf

- Easy to Assemble
- Up to 2,000 lbs. capacity per shelf



Dual Shelf

Model Number	Shelf Dimension	Shelf Capacity
Single Shelf Workbench		
FB1-4836-W	48"W x 36"D	2000 lbs.
FB1-4848-W	48"W x 48"D	2000 lbs.
FB1-7236-W	72"W x 36"D	1800 lbs.
FB1-7248-W	72"W x 48"D	1800 lbs.
FB1-9636-W	96"W x 36"D	1600 lbs.
FB1-9648-W	96"W x 48"D	1600 lbs.
Dual Shelf Workbench		
FB2-4836-W	48"W x 36"D	2000 lbs.
FB2-4848-W	48"W x 48"D	2000 lbs.
FB2-7236-W	72"W x 36"D	1800 lbs.
FB2-7248-W	72"W x 48"D	1800 lbs.
FB2-9636-W	96"W x 36"D	1600 lbs.
FB2-9648-W	96"W x 48"D	1600 lbs.

Mobile Shelf Carts

Constructed from heavy duty steel, these highly functional Mobile Shelf Carts are available in a variety of sizes to fit your every need. Shelves can be installed with either flange down for tray style or flange up for deck style. Carts come standard with 5" post and are 66" overall in height. These carts include heavy duty 5" casters (two rigid and two swivel). Capacity: 700 lbs. per cart. Color: Gray.

With Particle Board	Shelf Size	Without Particle Board
3 Shelf Mobile Unit		
BC3-3624-60W	36" x 24"	BC3-3624-60
BC3-4812-60W	48" x 12"	BC3-4812-60
BC3-4818-60W	48" x 18"	BC3-4818-60
BC3-4824-60W	48" x 24"	BC3-4824-60
BC3-4836-60W	48" x 36"	BC3-4836-60
BC3-6024-60W	60" x 24"	BC3-6024-60
BC3-6030-60W	60" x 30"	BC3-6030-60
BC3-6036-60W	60" x 36"	BC3-6036-60
4 Shelf Mobile Unit		
BC4-3624-60W	36" x 24"	BC4-3624-60
BC4-4812-60W	48" x 12"	BC4-4812-60
BC4-4818-60W	48" x 18"	BC4-4818-60
BC4-4824-60W	48" x 24"	BC4-4824-60
BC4-4836-60W	48" x 36"	BC4-4836-60
BC4-6024-60W	60" x 24"	BC4-6024-60
BC4-6030-60W	60" x 30"	BC4-6030-60
BC4-6036-60W	60" x 36"	BC4-6036-60

- 2 Rigid and 2 Swivel Wheels Included
- Capacity 700 lbs. per Cart
- 5" Industrial Wheels with Ball Bearings
- Available With or Without Particle Board



4 Shelf Unit



3 Shelf Unit

Plastic Bin Storage Units

Series 200A

These highly efficient plastic bin shelving units feature our extremely durable plastic (polypropylene) storage bins and are ideal for organizing small parts. Bin storage units are available either 36" high (6 shelves) or 72" high (12 shelves). Bins can be purchased separately (see below). Bin color: Yellow.



Model Shown Above:
A12-3612-72W-SB4

Model Shown Above:
A6-3612-36W-SB4

- Durable plastic bins
- Bins are waterproof (unaffected by grease and oil)
- Units available with 12" or 18" deep bins

Model Number Plastic Bins	Shelving Size W x D x H	Bin Size W x D x H	No. of Bins
A6-3612-36W-SB4	36" x 12" x 36"	4" x 12" x 4"	40
A6-3612-36W-SB6	36" x 12" x 36"	6" x 12" x 4"	25
A6-3612-36W-SB8	36" x 12" x 36"	8" x 12" x 4"	20
A6-3618-36W-SB4	36" x 18" x 36"	4" x 18" x 4"	40
A6-3618-36W-SB6	36" x 18" x 36"	6" x 18" x 4"	25
A12-3612-72W-SB4	36" x 12" x 72"	4" x 12" x 4"	88
A12-3612-72W-SB6	36" x 12" x 72"	6" x 12" x 4"	55
A12-3612-72W-SB8	36" x 12" x 72"	8" x 12" x 4"	44
A12-3618-72W-SB4	36" x 18" x 72"	4" x 18" x 4"	88
A12-3618-72W-SB6	36" x 18" x 72"	6" x 18" x 4"	55
A12-3612-72W-SBC	36" x 12" x 72"	4" x 12" x 4"	40
		6" x 12" x 4"	30
A12-3618-72W-SBC	36" x 18" x 72"	4" x 18" x 4"	40
		6" x 18" x 4"	30

Plastic Bins

These injection molded polypropylene bins are extremely durable and are available in a variety of sizes to fit your specific needs. These bins are waterproof and unaffected by oil and grease. Front of bin has large label area. Bin cups fit all plastic bins. Plastic bins are available in yellow. Bin dividers available in black.



Plastic Bins	
Model Number	Bin Size W x D x H
225-SB124	4" x 11 1/2" x 4"
225-SB126	6" x 11 1/2" x 4"
225-SB128	8" x 11 1/2" x 4"
225-SB184	4" x 17 1/2" x 4"
225-SB186	6" x 17 1/2" x 4"


Bin Cup	
Model Number	Bin Size W x D x H
225-SBC1	3 1/2" x 2 1/4" x 2 1/2"

Bin Dividers	
Model Number	For Bin Width
225-SBD4	4"
225-SBD6	6"
225-SBD8	8"

Cantilever Rack

This heavy duty Cantilever Rack is ideal for storing, bar stock or other long materials. Available with either single sided or double sided base. Columns are available in 8', 10' or 12' heights. Arms are available in 24", 36" or 48" and have 3" spacing increments. Arms utilize 14 gauge steel. Two bases/columns, one brace set and arms are required to make one free standing starter unit. Additional sections can be added to starter unit by purchasing one additional base/column, one brace set and arms. For additional specifications please click [here](#).

How To Order



Single Sided
Base/Column

A. Select Arm	
1. Choose Arm Length	
2. Choose either Regular Duty or Heavy Duty based on capacity required.	
B. Select Base/Column Size	
1. Choose either single sided or double sided base	
2. Choose column height	
a. When columns serve as load stops, it is necessary to specify column heights greater than the top loading arms. There is no need to pay for extra column height unless load stops are desired or future expansion is anticipated.	
b. Arm height adjustable in 3" increment	
3. Select appropriate Base for arms selected in "A" above	
C. Select Brace Set	



Double Sided
Base/Column

Arms				Regular Duty
Model Number	Arm Length	Capacity Per Arm	Weight	
Regular Duty Arms				
215-HA24	24"	1,800	16	
215-HA36	36"	1,200	17	
215-HA48	48"	900	20	
Heavy Duty Arms				
215-HAH36	36"	2,050	27	
215-HAH48	48"	1,600	32	

Brace Sets		
Model Number	Width	Weight
Brace Sets for 8' & 10' High		
215-HXP36	3'	22
215-HXP48	4'	26
215-HXP72	6'	35
215-HXP96	8'	50
Brace Sets for 12' High		
CHX-36	3'	28
CHX-48	4'	34
CHX-72	6'	46
CHX-96	8'	66

Single Sided Base / Column			
Model Number	Column Height	Capacity Per Column	Weight
24" Arm			
CHS-09624	8'	11,200	173
CHS-12024	10'	11,200	199
CHS-14424	12'	11,200	224
36" Arm			
CHS-09636	8'	8,400	185
CHS-12036	10'	8,400	211
CHS-14436	12'	8,400	236
48" Arm			
CHS-09648	8'	6,700	199
CHS-12048	10'	6,700	224
CHS-14448	12'	6,700	249

Double Sided Base / Column			
Model Number	Column Height	Capacity Per Column	Weight
24" Arm			
CHD-09624	8'	22,400	197
CHD-12024	10'	22,400	222
CHD-14424	12'	22,400	248
36" Arm			
CHD-09636	8'	16,800	222
CHD-12036	10'	16,800	248
CHD-14436	12'	16,800	273
48" Arm			
CHD-09648	8'	13,400	248
CHD-12048	10'	13,400	273
CHD-14448	12'	13,400	298

Pallet Rack

Make the most of your warehouse space by utilizing this low cost, heavy duty pallet rack. Heavy duty 14 gauge steel, all welded design, and baked enamel finish all combine for years of reliable service. Racks are designed for use with a forklift (or other hydraulic or electrical lift) or for heavy duty hand stacking. Buy pallet rack components separately on facing page or in complete "starter" and "add-on units" on pages 16 and 17. Instructions for fast and easy ordering located on page 16.


One Starter Unit consists of two uprights and four beams (two levels). Add-On units require one upright and at least four beams (two levels).




Popular Tear Drop Design

Interchangeable with the following pallet rack manufacturers

Interlake (Original Style), Space Rack, USP,
Speed Rack, Lodi Metal-Tech, Steel King,
Ridg-U-Rak and Husky



Popular tear drop design insures interchangeability with most major pallet rack manufacturers (see above list of compatible manufacturers).




Pallet Rack Components

Uprights

Constructed of heavy duty 14 gauge steel. Completely welded and set-up. Order two uprights to make one free-standing starter unit. Add-On units require only one additional upright (and load beams). Uprights feature 3" wide x 1 5/8" deep columns (capacity 19,400# per upright based on a maximum shelf spacing of 36"). Footplate measures 3" wide x 4 1/4" deep. Beams can be adjusted every 2". Upright color: Light Green.

All Welded Construction

High Capacity




Model Number	Height	Depth	Wt. Lbs.
215-IU36096	8'	3.0'	38
215-IU36120	10'	3.0'	47
215-IU36144	12'	3.0'	58
215-IU42096	8'	3.5'	41
215-IU42120	10'	3.5'	48
215-IU42144	12'	3.5'	60
215-IU48096	8'	4.0'	43
215-IU48120	10'	4.0'	52
215-IU48144	12'	4.0'	63

Steel Safety Supports

Use Safety Supports as front to back member to support pallets or wood decking. Safety Supports can also be used in conjunction with wood decking to provide additional support for hand stacking applications.


Upright Depth	Model Number	Wt. Lbs.
3.0'	215-ISS36	5.3
3.5'	215-ISS42	6.2
4.0'	215-ISS48	7.1



Row Spacer

Row Spacers are used to connect rows of pallet rack (back to back). Spacers increase stability and maintain consistent spacing between rows.

Row Space	Model Number	Wt. Lbs.
6"	215-IR06	1.0
12"	215-IR12	2.0



Label Holders


Extra large for Pallet Rack applications. Self adhesive or magnetic label holder allows for simple label relocation. Side loading. Includes Ink Jet/Laser compatible white inserts with instructions. Bar code capable.




Pallet Rack Label Holders		
Model	Description	Pack
215-L335	3" x 5", Self-Adhesive	50
215-L335M	3" x 5", Magnetic	50
215-L346	4" x 6", Self-Adhesive	50
215-L346M	4" x 6", Magnetic	50

Step Load Beams

Two beams are required to create a shelf. Beam length is measured by clear span between uprights. Each beam features a built in safety clip which helps prevent the beam from detaching from the upright. Interchangeable with most major pallet rack manufacturers (see page 14 for list of manufacturers). Beam capacities are based on a evenly distributed load and have a 1.65 safety factor. Load beams are sold per beam. Beam color: Orange.



Regular Duty




Heavy Duty

Model Number	Beam Height	Beam Length	Wt. Lbs.
Regular Duty			
215-IB40096	4"	8'	28
215-IB40108	4"	9'	32
215-IB40120	4"	10'	35
Heavy Duty			
215-IB50096	5"	8'	33
215-IB50108	5"	9'	36
215-IB50120	5"	10'	40
215-IB50144	5"	12'	48

Wire Mesh Decking

Open wire construction reduces dust build-up and allows free light and air circulation, increases sprinkler effectiveness and improves visibility. 3500 lb. capacity per level. Features 4 gauge wire and 2" x 4" spacing. Two decks used per shelf on the 96", 108" & 120" wide units. Three decks used per shelf on the 144" wide units. Color: Gray.



Order by Shelf Size		
Dimension W x D	Model Number	Wt. Lbs.
36" x 96"	IW-36096	50
42" x 96"	IW-42096	58
48" x 96"	IW-48096	66
36" x 108"	IW-36108	54
42" x 108"	IW-42108	62
48" x 108"	IW-48108	71
36" x 120"	IW-36120	58
42" x 120"	IW-42120	66
48" x 120"	IW-48120	76
36" x 144"	IW-36144	75
42" x 144"	IW-42144	87
48" x 144"	IW-48144	99

Order by Component		
Dimension W x D	Model Number	Wt. Lbs.
36" x 46"	215-IW3646	25
36" x 58"	215-IW3658	29
42" x 46"	215-IW4246	29
42" x 58"	215-IW4258	33
48" x 46"	215-IW4846	33
48" x 58"	215-IW4858	38

Complete Units

8' & 10' High Pallet Rack Units



Starter Unit

Add-On Unit

Unit Height	Unit Depth	Unit Width	Beam Height	Cap. Per Pair	Model Number	Model Number
8' High						
96"	36"	96"	4"	4,200	IS36096-40096	IT36096-40096
96"	36"	96"	5"	6,000	IS36096-50096	IT36096-50096
96"	42"	96"	4"	4,200	IS42096-40096	IT42096-40096
96"	42"	96"	5"	6,000	IS42096-50096	IT42096-50096
96"	48"	96"	4"	4,200	IS48096-40096	IT48096-40096
96"	48"	96"	5"	6,000	IS48096-50096	IT48096-50096
96"	36"	108"	4"	3,500	IS36096-40108	IT36096-40108
96"	36"	108"	5"	5,300	IS36096-50108	IT36096-50108
96"	42"	108"	4"	3,500	IS42096-40108	IT42096-40108
96"	42"	108"	5"	5,300	IS42096-50108	IT42096-50108
96"	48"	108"	4"	3,500	IS48096-40108	IT48096-40108
96"	48"	108"	5"	5,300	IS48096-50108	IT48096-50108
96"	36"	120"	4"	2,800	IS36096-40120	IT36096-40120
96"	36"	120"	5"	4,800	IS36096-50120	IT36096-50120
96"	42"	120"	4"	2,800	IS42096-40120	IT42096-40120
96"	42"	120"	5"	4,800	IS42096-50120	IT42096-50120
96"	48"	120"	4"	2,800	IS48096-40120	IT48096-40120
96"	48"	120"	5"	4,800	IS48096-50120	IT48096-50120
96"	36"	144"	5"	3,400	IS36096-50144	IT36096-50144
96"	42"	144"	5"	3,400	IS42096-50144	IT42096-50144
96"	48"	144"	5"	3,400	IS48096-50144	IT48096-50144
10' High						
120"	36"	96"	4"	4,200	IS36120-40096	IT36120-40096
120"	36"	96"	5"	6,000	IS36120-50096	IT36120-50096
120"	42"	96"	4"	4,200	IS42120-40096	IT42120-40096
120"	42"	96"	5"	6,000	IS42120-50096	IT42120-50096
120"	48"	96"	4"	4,200	IS48120-40096	IT48120-40096
120"	48"	96"	5"	6,000	IS48120-50096	IT48120-50096
120"	36"	108"	4"	3,500	IS36120-40108	IT36120-40108
120"	36"	108"	5"	5,300	IS36120-50108	IT36120-50108
120"	42"	108"	4"	3,500	IS42120-40108	IT42120-40108
120"	42"	108"	5"	5,300	IS42120-50108	IT42120-50108
120"	48"	108"	4"	3,500	IS48120-40108	IT48120-40108
120"	48"	108"	5"	5,300	IS48120-50108	IT48120-50108
120"	36"	120"	4"	2,800	IS36120-40120	IT36120-40120
120"	36"	120"	5"	4,800	IS36120-50120	IT36120-50120
120"	42"	120"	4"	2,800	IS42120-40120	IT42120-40120
120"	42"	120"	5"	4,800	IS42120-50120	IT42120-50120
120"	48"	120"	4"	2,800	IS48120-40120	IT48120-40120
120"	48"	120"	5"	4,800	IS48120-50120	IT48120-50120
120"	36"	144"	5"	3,400	IS36120-50144	IT36120-50144
120"	42"	144"	5"	3,400	IS42120-50144	IT42120-50144
120"	48"	144"	5"	3,400	IS48120-50144	IT48120-50144

How to Order:

Uprights

1. **Upright capacity** - Calculate upright capacity by adding total weight of goods being stored. Do not include goods being placed on floor.

2. **Upright height** -

Step #1 Calculate load height by adding height of palletized goods plus 4" for clearance between palletized goods and the beam supporting the next level.

Step #2 Add height of beam (Either 4" or 5")

Step #3 Multiply the sum of Step #1 and Step #2 by the number of load levels.

Note: Top load height need not be counted in determining upright height.

3. **Upright depth** - Deduct 6" from pallet depth to allow 3" pallet overhang front and rear. For example: a 48" deep pallet would require a 42" deep upright.

Load Beams

1. **Beam Length** - Multiply pallet width by the number of pallets being stored on each level plus 12" for clearance. For example: two 48" wide pallets would require 108" long beams.

2. **Beam Capacity** - Determine capacity by multiplying the number of pallets per pair of load beams by the weight of each pallet.

Complete Units

12' High Pallet Rack Units

						
					Starter Unit	Add-On Unit
Unit Height	Unit Depth	Unit Width	Beam Height	Cap. Per Pair	Model Number	Model Number
12' High						
144"	36"	96"	4"	4,200	IS36144-40096	IT36144-40096
144"	36"	96"	5"	6,000	IS36144-50096	IT36144-50096
144"	42"	96"	4"	4,200	IS42144-40096	IT42144-40096
144"	42"	96"	5"	6,000	IS42144-50096	IT42144-50096
144"	48"	96"	4"	4,200	IS48144-40096	IT48144-40096
144"	48"	96"	5"	6,000	IS48144-50096	IT48144-50096
144"	36"	108"	4"	3,500	IS36144-40108	IT36144-40108
144"	36"	108"	5"	5,300	IS36144-50108	IT36144-50108
144"	42"	108"	4"	3,500	IS42144-40108	IT42144-40108
144"	42"	108"	5"	5,300	IS42144-50108	IT42144-50108
144"	48"	108"	4"	3,500	IS48144-40108	IT48144-40108
144"	48"	108"	5"	5,300	IS48144-50108	IT48144-50108
144"	36"	120"	4"	2,800	IS36144-40120	IT36144-40120
144"	36"	120"	5"	4,800	IS36144-50120	IT36144-50120
144"	42"	120"	4"	2,800	IS42144-40120	IT42144-40120
144"	42"	120"	5"	4,800	IS42144-50120	IT42144-50120
144"	48"	120"	4"	2,800	IS48144-40120	IT48144-40120
144"	48"	120"	5"	4,800	IS48144-50120	IT48144-50120
144"	36"	144"	5"	3,400	IS36144-50144	IT36144-50144
144"	42"	144"	5"	3,400	IS42144-50144	IT42144-50144
144"	48"	144"	5"	3,400	IS48144-50144	IT48144-50144

Vertical Stock Rack



Model 235-SRV1:

High strength tubular steel arms extend 8" from the frame. Pan shelves are spaced 21" apart. The unit base is 36" wide x 24" deep. Unit is 84" high and has a capacity of 3,000 lbs. Unit weight is 80 lbs.

Horizontal Stock Rack



Model 235-SRH1 (2 Shown):

This unit is 84" high x 22" square at bottom and is tapered to 4 1/2" square at the top. Angled steel arms are spaced every 8 1/2" and extend 8" from uprights. Capacity per pair of arms is 100 lbs. Unit weight is 60 lbs.


FastRak

Heavy Duty Bulk Shelving



Model # FS3-9636120M
with two extra shelves
(Model # FX3-9636M)

Model # FT3-96396120W




Single Unit
Model # FS2-7224072W

Components

Uprights


- All Welded
- Uprights allow adjustment of shelf height every 1 1/2"
- 7,000 lb. capacity per upright



Part Number	D x H	Wt. Lbs.
215-CU18072	18" x 72"	19
215-CU18096	18" x 96"	24
215-CU18120	18" x 120"	32
215-CU24072	24" x 72"	20
215-CU24096	24" x 96"	24
215-CU24120	24" x 120"	34
215-CU36036	36" x 36"	13
215-CU36072	36" x 72"	26
215-CU36096	36" x 96"	31
215-CU36120	36" x 120"	35
215-CU48036	48" x 36"	15
215-CU48072	48" x 72"	30
215-CU48096	48" x 96"	35
215-CU48120	48" x 120"	40

Wire Mesh Decking

- Improves visibility and sprinkler effectiveness
- Built in supports
- One deck used for 48" wide units and two decks used for 72" and 96" wide units



Model Number	Beam D x W	Wt. Lbs.
CW18048	18" x 48"	12
CW18072	18" x 72"	16
CW18096	18" x 96"	24
CW24048	24" x 48"	14
CW24072	24" x 72"	20
CW24096	24" x 96"	28
CW36048	36" x 48"	18
CW36072	36" x 72"	28
CW36096	36" x 96"	36
CW48048	48" x 48"	21
CW48072	48" x 72"	34
CW48096	48" x 96"	42

Particle Board


- 3/4" Particle Board Decking
- Cut to fit inside beams



Model Number	Beam D x L	Wt. Lbs.
240-044818	18" x 48"	12
240-047218	18" x 72"	18
240-049618	18" x 96"	24
240-044824	24" x 48"	22
240-047224	24" x 72"	33
240-049624	24" x 96"	44
240-044836	36" x 48"	33
240-047236	36" x 72"	49
240-049636	36" x 96"	68
240-044848	48" x 48"	44
240-047248	48" x 72"	65
240-049648	48" x 96"	90

Load Beams

- Available in either 2" or 3" beam height
- Available 48", 72", 96" in length
- Built-in safety clip



Part Number	Beam H x W	# of Sup.	Cap. / Pair	Wt.
215-CB20048	2" x 48"	2	1,400	7
215-CB20072	2" x 72"	3	1,200	10
215-CB20096	2" x 96"	4	1,000	13
215-CB30048	3" x 48"	2	2,000	9
215-CB30072	3" x 72"	3	1,800	12
215-CB30096	3" x 96"	4	1,600	16

Label Holders


- Extra Large for FastRak Applications
- Self adhesive or magnetic
- Bar code capable



Model	Description	Pack
215-L335	3" x 5", Self-Adhesive	50
215-L335M	3" x 5", Magnetic	50
215-L346	4" x 6", Self-Adhesive	50
215-L346M	4" x 6", Magnetic	50

Safety Supports

- Shelf Supports reinforce particle board for added strength and stability
- Used in conjunction with particle board to maximize shelf capacity
- Use 2, 3, or 4 supports per pair of beams (see load beam information at left for details)




Model Number	Support Length	Weight Lbs.
215-CSS24	24"	1.5
215-CSS36	36"	2.5
215-CSS48	48"	3.0

FastRak Units


Units are priced as 2 shelf units to allow for storage of goods on the floor. Ideal for hand stacking. Extra shelf model numbers to right of table. Units are complete with either 3/4" particle board or wire mesh decking. No tools required. Beams lock securely into uprights. Upright color: Green. Beam and Shelf Support color: Orange. Wire Mesh color: Gray.

*When placing an order, please indicate "W" at the end of the model number for Particle Board Decking or "M" at the end of the model number for Wire Mesh Decking.

Model Number Code:



- Alternative to Pallet Rack
- Beams lock securely into Uprights
- Available with Wire Mesh Decking or 3/4" Particle Board



Unit Size			Beam Ht.	Shelf Cap.	2 Shelf Starter Unit	2 Shelf Add-On Unit	Extra Shelf
Width	Depth	Height			Model Number	Model Number	Model Number
48"	24"	72"	2"	1400	FS2-4824072(W/M)	FT2-4824072(W/M)	FX2-4824(W/M)
48"	24"	72"	3"	2000	FS3-4824072(W/M)	FT3-4824072(W/M)	FX3-4824(W/M)
48"	24"	96"	2"	1400	FS2-4824096(W/M)	FT2-4824096(W/M)	FX2-4824(W/M)
48"	24"	96"	3"	2000	FS3-4824096(W/M)	FT3-4824096(W/M)	FX3-4824(W/M)
48"	36"	72"	2"	1400	FS2-4836072(W/M)	FT2-4836072(W/M)	FX2-4836(W/M)
48"	36"	72"	3"	2000	FS3-4836072(W/M)	FT3-4836072(W/M)	FX3-4836(W/M)
48"	36"	96"	2"	1400	FS2-4836096(W/M)	FT2-4836096(W/M)	FX2-4836(W/M)
48"	36"	96"	3"	2000	FS3-4836096(W/M)	FT3-4836096(W/M)	FX3-4836(W/M)
48"	48"	72"	2"	1400	FS2-4848072(W/M)	FT2-4848072(W/M)	FX2-4848(W/M)
48"	48"	72"	3"	2000	FS3-4848072(W/M)	FT3-4848072(W/M)	FX3-4848(W/M)
48"	48"	96"	2"	1400	FS2-4848096(W/M)	FT2-4848096(W/M)	FX2-4848(W/M)
48"	48"	96"	3"	2000	FS3-4848096(W/M)	FT3-4848096(W/M)	FX3-4848(W/M)
72"	24"	72"	2"	1200	FS2-7224072(W/M)	FT2-7224072(W/M)	FX2-7224(W/M)
72"	24"	72"	3"	1800	FS3-7224072(W/M)	FT3-7224072(W/M)	FX3-7224(W/M)
72"	24"	96"	2"	1200	FS2-7224096(W/M)	FT2-7224096(W/M)	FX2-7224(W/M)
72"	24"	96"	3"	1800	FS3-7224096(W/M)	FT3-7224096(W/M)	FX3-7224(W/M)
72"	36"	72"	2"	1200	FS2-7236072(W/M)	FT2-7236072(W/M)	FX2-7236(W/M)
72"	36"	72"	3"	1800	FS3-7236072(W/M)	FT3-7236072(W/M)	FX3-7236(W/M)
72"	36"	96"	2"	1200	FS2-7236096(W/M)	FT2-7236096(W/M)	FX2-7236(W/M)
72"	36"	96"	3"	1800	FS3-7236096(W/M)	FT3-7236096(W/M)	FX3-7236(W/M)
72"	48"	72"	2"	1200	FS2-7248072(W/M)	FT2-7248072(W/M)	FX2-7248(W/M)
72"	48"	72"	3"	1800	FS3-7248072(W/M)	FT3-7248072(W/M)	FX3-7248(W/M)
72"	48"	96"	2"	1200	FS2-7248096(W/M)	FT2-7248096(W/M)	FX2-7248(W/M)
72"	48"	96"	3"	1800	FS3-7248096(W/M)	FT3-7248096(W/M)	FX3-7248(W/M)
96"	24"	72"	2"	1000	FS2-9624072(W/M)	FT2-9624072(W/M)	FX2-9624(W/M)
96"	24"	72"	3"	1600	FS3-9624072(W/M)	FT3-9624072(W/M)	FX3-9624(W/M)
96"	24"	96"	2"	1000	FS2-9624096(W/M)	FT2-9624096(W/M)	FX2-9624(W/M)
96"	24"	96"	3"	1600	FS3-9624096(W/M)	FT3-9624096(W/M)	FX3-9624(W/M)
96"	36"	72"	2"	1000	FS2-9636072(W/M)	FT2-9636072(W/M)	FX2-9636(W/M)
96"	36"	72"	3"	1600	FS3-9636072(W/M)	FT3-9636072(W/M)	FX3-9636(W/M)
96"	36"	96"	2"	1000	FS2-9636096(W/M)	FT2-9636096(W/M)	FX2-9636(W/M)
96"	36"	96"	3"	1600	FS3-9636096(W/M)	FT3-9636096(W/M)	FX3-9636(W/M)
96"	48"	72"	2"	1000	FS2-9648072(W/M)	FT2-9648072(W/M)	FX2-9648(W/M)
96"	48"	72"	3"	1600	FS3-9648072(W/M)	FT3-9648072(W/M)	FX3-9648(W/M)
96"	48"	96"	2"	1000	FS2-9648096(W/M)	FT2-9648096(W/M)	FX2-9648(W/M)
96"	48"	96"	3"	1600	FS3-9648096(W/M)	FT3-9648096(W/M)	FX3-9648(W/M)

Wire Shelving Components

Wire shelving components can be purchased separately to meet your specific requirements. Shelves can be adjusted in 1" increments and we offer a variety of post sizes. Stationary posts include an adjustable leveling bolt to compensate for uneven surfaces. Components are available in Chrome Plated, Black Powder Coat, and Green Epoxy finishes. Chrome, Black, and Green Wire Shelving are NSF certified by the National Sanitation Foundation.


Shelves

Standard Shelves			
Model Number	Size D x W	Certified by the National Sanitation Foundation	
Chrome			
205-CS1836 205-CS1842 205-CS1848 205-CS1854 205-CS1860 205-CS1872	18" x 36" 18" x 42" 18" x 48" 18" x 54" 18" x 60" 18" x 72"	Chrome Shelf  	
205-CS2136 205-CS2142 205-CS2148 205-CS2154 205-CS2160 205-CS2172	21" x 36" 21" x 42" 21" x 48" 21" x 54" 21" x 60" 21" x 72"		
205-CS2436 205-CS2442 205-CS2448 205-CS2454 205-CS2460 205-CS2472	24" x 36" 24" x 42" 24" x 48" 24" x 54" 24" x 60" 24" x 72"		
205-CS3648 205-CS3660 205-CS3672	36" x 48" 36" x 60" 36" x 72"		
Green All Environment			
205-AS1836 205-AS1842 205-AS1848 205-AS1854 205-AS1860 205-AS1872	18" x 36" 18" x 42" 18" x 48" 18" x 54" 18" x 60" 18" x 72"		Green Shelf  
205-AS2136 205-AS2142 205-AS2148 205-AS2154 205-AS2160 205-AS2172	21" x 36" 21" x 42" 21" x 48" 21" x 54" 21" x 60" 21" x 72"		
205-AS2436 205-AS2442 205-AS2448 205-AS2454 205-AS2460 205-AS2472	24" x 36" 24" x 42" 24" x 48" 24" x 54" 24" x 60" 24" x 72"		
Black			
205-BS1836 205-BS1848 205-BS1860 205-BS1872	18" x 36" 18" x 48" 18" x 60" 18" x 72"	Black Shelf  	
205-BS2436 205-BS2448 205-BS2460 205-BS2472	24" x 36" 24" x 48" 24" x 60" 24" x 72"		

Posts

	Stationary Post		Mobile Post * Caster wheel not included
Posts - Chrome			
205-CP63 205-CP63M 205-CP74 205-CP74M 205-CP86	Post 63" for Stationary Wire Shelving Post 63" for Mobile Wire Shelving Post 74" for Stationary Wire Shelving Post 74" for Mobile Wire Shelving Post 86" for Stationary Wire Shelving		
Posts - Green			
205-AP63 205-AP63M 205-AP74 205-AP74M 205-AP86	Post 63" for Wire Shelving Post 63" for Mobile Wire Shelving Post 74" for Wire Shelving Post 74" for Mobile Wire Shelving Post 86" for Wire Shelving		
Posts - Black			
205-BP30M 205-BP36 205-BP63 205-BP63M 205-BP74 205-BP74M 205-BP86	Post 30" for Mobile Wire Shelving Post 36" for Wire Shelving Post 63" for Wire Shelving Post 63" for Mobile Wire Shelving Post 74" for Wire Shelving Post 74" for Mobile Wire Shelving Post 86" for Wire Shelving		

Basket Shelves

		Basket Shelves	
		Model Number	Size D x W
		Chrome	
		205-CSB1836 205-CSB1848	18" x 36" 18" x 48"

Safety Handles

		Safety Handle	
		Model Number	Fits Shelf Depth
		Chrome	
		205-CSF18 205-CSF24 205-CSF36	18" 24" 36"

Utility Handles

		U-Shaped Posts for Mobile Units	
		Model Number	Fits Shelf Depth
		Chrome	
		205-CH18 205-CH24	18" 24"

Wire Shelving Components

Document Holder

Document Holder for Wire Shelving		
Model Number	Description	
Chrome		
205-CDH	Document Holder	

Label Holders

Label Holders for Wire Shelving		
Snap-on label holders identify and mark contents. Flexible holders fit new or existing wire shelving with 1 1/4" face. Includes laser / jet inkjet white inserts.		
		
Model Number	Description	Pack
205-CL1253	3" Long	25
205-CL1256	6" Long	25

S-Hook

S-Hook for Add-On Units	
Model Number	Description
Chrome	
205-CSHOOK1	"S" Style Hook
Green All Environment	
205-ASHOOK1	"S" Style Hook
Black	
205-BSHOOK1	"S" Style Hook



Shelf Divider

Shelf Divider for Wire Shelving	
Model Number	Fits Shelf Depth
Chrome	
205-CSD18	18"
205-CSD24	24"

Cantilever Shelf

Cantilever Shelf for Wire Shelving	
Model Number	Fits Shelf Size
Chrome	
205-CSC1236	12" x 36"
205-CSC1248	12" x 48"
205-CSC1260	12" x 60"

Shelf Ledge

Shelf Ledge for Wire Shelving	
Model Number	Fits Shelf Depth
Chrome	
205-CL18	18"
205-CL24	24"
205-CL36	36"
205-CL48	48"

Caster Wheel / Post Anchor / Shelf Clip

		
Caster Wheel	Post Anchor	Shelf Clip
Miscellaneous Parts		
Model Number	Description	
Caster Wheel		
205-AC5L	5" Locking Caster Wheel	
Post Anchor		
205-CPA	Stationary Post Anchor	
Shelf Clip		
205-CSCLIP1	Clip for Chrome/Green/Black Shelf	

Wall Mount / Post Clamps


	
Wall Mount	Post Clamps
Miscellaneous Parts	
Model Number	Description
Wall Mount	
205-CPMB	Wall Mount Bracket
Post Clamp	
205-CPC 205-APC 205-BPC	Chrome Shelving Post Clamps Green Shelving Post Clamps Black Shelving Post Clamps

Chrome Stationary Wire Shelving

Open wire construction reduces dust build-up, allows free light and air circulation, increases sprinkler effectiveness and improves visibility. Fast, easy to assemble. No tools required. Each shelf is adjustable in 1" increments. Four shelf starter unit consist of 4 posts, 4 shelves, 4 adjustable feet and 16 shelf clips. Four shelf Add-On unit consists of 2 posts, 4 shelves, 4 adjustable feet, 8 add-on hooks and 8 shelf clips. Standard unit height is 74". Additional height options include 63" & 86" tall post listed on page 20. Add additional shelves to meet your specific needs.

Available
63" & 86"
High

- NSF Certified
- High Shelf Capacity



4 Shelf Unit - 74" High

Model Number	Shelf Size	Wt.
Starter Unit		
WCS4-1836-74	18" x 36"	500
WCS4-1842-74	18" x 42"	500
WCS4-1848-74	18" x 48"	500
WCS4-1854-74	18" x 54"	400
WCS4-1860-74	18" x 60"	400
WCS4-1872-74	18" x 72"	400
WCS4-2136-74	21" x 36"	500
WCS4-2142-74	21" x 42"	500
WCS4-2148-74	21" x 48"	500
WCS4-2154-74	21" x 54"	400
WCS4-2160-74	21" x 60"	400
WCS4-2172-74	21" x 72"	400
WCS4-2436-74	24" x 36"	500
WCS4-2442-74	24" x 42"	500
WCS4-2448-74	24" x 48"	500
WCS4-2454-74	24" x 54"	400
WCS4-2460-74	24" x 60"	400
WCS4-2472-74	24" x 72"	400
WCS4-3648-74	36" x 48"	500
WCS4-3660-74	36" x 60"	400
WCS4-3672-74	36" x 72"	300

Model Number	Shelf Size	Wt.
Add-On Unit		
WCT4-1836-74	18" x 36"	500
WCT4-1842-74	18" x 42"	500
WCT4-1848-74	18" x 48"	500
WCT4-1854-74	18" x 54"	400
WCT4-1860-74	18" x 60"	400
WCT4-1872-74	18" x 72"	400
WCT4-2136-74	21" x 36"	500
WCT4-2142-74	21" x 42"	500
WCT4-2148-74	21" x 48"	500
WCT4-2154-74	21" x 54"	400
WCT4-2160-74	21" x 60"	400
WCT4-2172-74	21" x 72"	400
WCT4-2436-74	24" x 36"	500
WCT4-2442-74	24" x 42"	500
WCT4-2448-74	24" x 48"	500
WCT4-2454-74	24" x 54"	400
WCT4-2460-74	24" x 60"	400
WCT4-2472-74	24" x 72"	400
WCT4-3648-74	36" x 48"	500
WCT4-3660-74	36" x 60"	400
WCT4-3672-74	36" x 72"	300

Chrome Basket Wire Shelving

This unique product features the same high quality and rugged construction as our standard chrome wire shelving. 3 1/2" deep basket shelves are perfect for organizing hard to store items. Basket shelf height is adjustable in 1" increments. Basket capacity is 400 lbs. per basket.



These versatile mobile units and carts feature heavy duty 5" locking swivel casters. The Mobile Basket Unit has an overall height of 69" and comes standard with 4 basket shelves per unit. Mobile Basket Cart comes standard with two shelves. Extra shelves can be added to fit specific needs. Cart height (at top of handle) is 36". Mobile Unit & Mobile Cart caster capacity is 700 lbs. per cart.

Mobile Basket Units / Carts

2 Shelf - 36" High Cart		4 Shelf - 69" High Unit	
Model Number	Shelf Size	Model Number	Shelf Size
WCJ2-1836	18" x 36"	WCH4-1836-63	18" x 36"
WCJ2-1848	18" x 48"	WCH4-1848-63	18" x 48"



Units available with either 63", 74" or 86" tall posts. Units are standard with four basket shelves per unit. Units can be customized by ordering additional basket shelves.

Stationary Basket Units

	63" High Units	74" High Units	86" High Units
Shelf Size	Model Number	Model Number	Model Number
Starter Unit			
18" x 36"	WCX4-1836-63	WCX4-1836-74	WCX4-1836-86
18" x 48"	WCX4-1848-63	WCX4-1848-74	WCX4-1848-86
Add-On Unit			
18" x 36"	WCY4-1836-63	WCY4-1836-74	WCY4-1836-86
18" x 48"	WCY4-1848-63	WCY4-1848-74	WCY4-1848-86


Chrome Mobile Wire Shelving

These mobile wire shelving units are constructed to the highest quality standards and feature rust resistant chrome plating. Attractive open wire design reduces dust build-up, improves light and air circulation. Units are highly maneuverable and come standard with locking 5" diameter swivel caster wheels. Fast and easy to assemble. No special tools required. Available in four or five shelves.

Model Number	Shelf Size	Shelf Capacity	Model Number	Shelf Size	Shelf Capacity
4 Shelf Mobile Shelving - 69" High			5 Shelf Mobile Shelving - 69" High		
WCC4-1836-63	18" x 36"	500	WCC5-1836-63	18" x 36"	500
WCC4-1842-63	18" x 42"	500	WCC5-1842-63	18" x 42"	500
WCC4-1848-63	18" x 48"	500	WCC5-1848-63	18" x 48"	500
WCC4-1854-63	18" x 54"	400	WCC5-1854-63	18" x 54"	400
WCC4-1860-63	18" x 60"	400	WCC5-1860-63	18" x 60"	400
WCC4-1872-63	18" x 72"	400	WCC5-1872-63	18" x 72"	400
WCC4-2136-63	21" x 36"	500	WCC5-2136-63	21" x 36"	500
WCC4-2142-63	21" x 42"	500	WCC5-2142-63	21" x 42"	500
WCC4-2148-63	21" x 48"	500	WCC5-2148-63	21" x 48"	500
WCC4-2154-63	21" x 54"	400	WCC5-2154-63	21" x 54"	400
WCC4-2160-63	21" x 60"	400	WCC5-2160-63	21" x 60"	400
WCC4-2172-63	21" x 72"	400	WCC5-2172-63	21" x 72"	400
WCC4-2436-63	24" x 36"	500	WCC5-2436-63	24" x 36"	500
WCC4-2442-63	24" x 42"	500	WCC5-2442-63	24" x 42"	500
WCC4-2448-63	24" x 48"	500	WCC5-2448-63	24" x 48"	500
WCC4-2454-63	24" x 54"	400	WCC5-2454-63	24" x 54"	400
WCC4-2460-63	24" x 60"	400	WCC5-2460-63	24" x 60"	400
WCC4-2472-63	24" x 72"	400	WCC5-2472-63	24" x 72"	400
WCC4-3648-63	36" x 48"	500	WCC5-3648-63	36" x 48"	500
WCC4-3660-63	36" x 60"	400	WCC5-3660-63	36" x 60"	400
WCC4-3672-63	36" x 72"	300	WCC5-3672-63	36" x 72"	300



Available
63" & 86"
High




4 Shelf
Mobile Unit

5 Shelf
Mobile Unit

▶ **Locking Casters
Included**

Chrome Mobile Wire Utility Carts

These attractive mobile carts are finished with durable chrome plating. Open wire design reduces dust build-up, improves light and air circulation. Carts are highly maneuverable and include four locking 5" swivel caster wheels. Easy to assemble. No special tools required. Shelves are fully adjustable in 1" increments. Available with two or three shelves.



2 Shelf Cart

3 Shelf Cart

Model Number	Shelf Size	Shelf Capacity
2 Shelf Mobile Cart		
WCD2-1836	18" x 36"	500
WCD2-1848	18" x 48"	500
WCD2-1860	18" x 60"	400
WCD2-1872	18" x 72"	400
WCD2-2436	24" x 36"	500
WCD2-2448	24" x 48"	500
WCD2-2460	24" x 60"	400
WCD2-2472	24" x 72"	400
3 Shelf Mobile Cart		
WCD3-1836	18" x 36"	500
WCD3-1848	18" x 48"	500
WCD3-1860	18" x 60"	400
WCD3-1872	18" x 72"	400
WCD3-2436	24" x 36"	500
WCD3-2448	24" x 48"	500
WCD3-2460	24" x 60"	400
WCD3-2472	24" x 72"	400

All Environment Stationary Green Wire Shelving

Epoxy powder coated for dry, cooler and freezer storage applications. Open wire construction maximizes air circulation to keep product stored ventilated, dry and easily visible. Heavy duty truss included (exception 18" x 36" and 18" x 42") for maximum weight capacity. Shelves adjust in 1" increments and available in a number of sizes to meet your storage space. For your convenience adjustable leveling feet are included for uneven flooring. 86" high units also available.



Starter Unit



ALL ENVIRONMENTS

Add-On Unit



Model# WAT4-1848-74

Shelf Size	Shelf Cap.	63" High Units		74" High Units	
		Starter Unit	Add-On Unit	Starter Unit	Add-On Unit
		Model Number	Model Number	Model Number	Model Number
18" x 36"	500	WAS4-1836-63	WAT4-1836-63	WAS4-1836-74	WAT4-1836-74
18" x 42"	500	WAS4-1842-63	WAT4-1842-63	WAS4-1842-74	WAT4-1842-74
18" x 48"	500	WAS4-1848-63	WAT4-1848-63	WAS4-1848-74	WAT4-1848-74
18" x 54"	400	WAS4-1854-63	WAT4-1854-63	WAS4-1854-74	WAT4-1854-74
18" x 60"	400	WAS4-1860-63	WAT4-1860-63	WAS4-1860-74	WAT4-1860-74
18" x 72"	400	WAS4-1872-63	WAT4-1872-63	WAS4-1872-74	WAT4-1872-74
21" x 36"	500	WAS4-2136-63	WAT4-2136-63	WAS4-2136-74	WAT4-2136-74
21" x 42"	500	WAS4-2142-63	WAT4-2142-63	WAS4-2142-74	WAT4-2142-74
21" x 48"	500	WAS4-2148-63	WAT4-2148-63	WAS4-2148-74	WAT4-2148-74
21" x 54"	400	WAS4-2154-63	WAT4-2154-63	WAS4-2154-74	WAT4-2154-74
21" x 60"	400	WAS4-2160-63	WAT4-2160-63	WAS4-2160-74	WAT4-2160-74
21" x 72"	400	WAS4-2172-63	WAT4-2172-63	WAS4-2172-74	WAT4-2172-74
24" x 36"	500	WAS4-2436-63	WAT4-2436-63	WAS4-2436-74	WAT4-2436-74
24" x 42"	500	WAS4-2442-63	WAT4-2442-63	WAS4-2442-74	WAT4-2442-74
24" x 48"	500	WAS4-2448-63	WAT4-2448-63	WAS4-2448-74	WAT4-2448-74
24" x 54"	400	WAS4-2454-63	WAT4-2454-63	WAS4-2454-74	WAT4-2454-74
24" x 60"	400	WAS4-2460-63	WAT4-2460-63	WAS4-2460-74	WAT4-2460-74
24" x 72"	400	WAS4-2472-63	WAT4-2472-63	WAS4-2472-74	WAT4-2472-74

All Environment Mobile Green Wire Shelving

These Green Epoxy mobile wire shelving units are attractive and highly functional. Open wire design reduces dust build up and improves air circulation. Units include four 5" locking swivel casters. The green epoxy powder coated finish is designed for dry, cooler and freezer storage applications. Shelves are adjustable in 1" increments. Easy to assemble. No special tools required.

- High Quality
- Popular Epoxy Finish
- Dry, Cooler & Freezer Storage
- Locking Casters Included



Model Number	Shelf Size	Shelf Cap.
4 Shelf Mobile Unit - 69" High		
WAC4-1836-63	18" x 36"	500
WAC4-1842-63	18" x 42"	500
WAC4-1848-63	18" x 48"	500
WAC4-1854-63	18" x 54"	400
WAC4-1860-63	18" x 60"	400
WAC4-1872-63	18" x 72"	400
WAC4-2136-63	21" x 36"	500
WAC4-2142-63	21" x 42"	500
WAC4-2148-63	21" x 48"	500
WAC4-2154-63	21" x 54"	400
WAC4-2160-63	21" x 60"	400
WAC4-2172-63	21" x 72"	400
WAC4-2436-63	24" x 36"	500
WAC4-2442-63	24" x 42"	500
WAC4-2448-63	24" x 48"	500
WAC4-2454-63	24" x 54"	400
WAC4-2460-63	24" x 60"	400
WAC4-2472-63	24" x 72"	400

Model Number	Shelf Size	Shelf Cap.
5 Shelf Mobile Unit - 69" High		
WAC5-1836-63	18" x 36"	500
WAC5-1842-63	18" x 42"	500
WAC5-1848-63	18" x 48"	500
WAC5-1854-63	18" x 54"	400
WAC5-1860-63	18" x 60"	400
WAC5-1872-63	18" x 72"	400
WAC5-2136-63	21" x 36"	500
WAC5-2142-63	21" x 42"	500
WAC5-2148-63	21" x 48"	500
WAC5-2154-63	21" x 54"	400
WAC5-2160-63	21" x 60"	400
WAC5-2172-63	21" x 72"	400
WAC5-2436-63	24" x 36"	500
WAC5-2442-63	24" x 42"	500
WAC5-2448-63	24" x 48"	500
WAC5-2454-63	24" x 54"	400
WAC5-2460-63	24" x 60"	400
WAC5-2472-63	24" x 72"	400



Model# WAC4-1836-63



ALL ENVIRONMENTS

All Environment Mobile Wire Utility Carts

These all environment mobile wire shelving units are finished with green epoxy powder coating. Open wire design reduces dust build-up, improves light and air circulation. Carts are highly maneuverable and include four locking 5" swivel caster wheels. Easy to assemble. No special tools required. Shelves are fully adjustable in 1" increments. Available with two or three shelves. Cart capacity: 700 lbs.



2 Shelf Cart

3 Shelf Cart



Model Number	Shelf Size	Shelf Capacity
2 Shelf Mobile Cart		
WAD2-1836	18" x 36"	500
WAD2-1848	18" x 48"	500
WAD2-1860	18" x 60"	400
WAD2-1872	18" x 72"	400
WAD2-2436	24" x 36"	500
WAD2-2448	24" x 48"	500
WAD2-2460	24" x 60"	400
WAD2-2472	24" x 72"	400
3 Shelf Mobile Cart		
WAD3-1836	18" x 36"	500
WAD3-1848	18" x 48"	500
WAD3-1860	18" x 60"	400
WAD3-1872	18" x 72"	400
WAD3-2436	24" x 36"	500
WAD3-2448	24" x 48"	500
WAD3-2460	24" x 60"	400
WAD3-2472	24" x 72"	400

Black Powder Coated Stationary Units

Open wire construction reduces dust build-up, allows free light and air circulation, increases sprinkler effectiveness and improves visibility. Finished in a durable powder coated paint. Fast and easy to assemble. No tools required. Shelves are adjustable in 1" increments. Units also available 63" tall and 86" tall.

- Durable Powder Coating
- High Shelf Capacity
- NSF Approved

Available
63" & 86"
High



74" High Starter Unit



74" High Add-On Unit

74" Tall Unit

Model Number	Shelf Size	Shelf Cap.	Model Number	Shelf Size	Shelf Cap.
Starter Unit - 4 Shelf Unit			Add-On Unit - 4 Shelf Unit		
WBS4-1836-74	18" x 36"	500	WBT4-1836-74	18" x 36"	500
WBS4-1848-74	18" x 48"	400	WBT4-1848-74	18" x 48"	400
WBS4-1860-74	18" x 60"	300	WBT4-1860-74	18" x 60"	300
WBS4-1872-74	18" x 72"	300	WBT4-1872-74	18" x 72"	300
WBS4-2436-74	24" x 36"	500	WBT4-2436-74	24" x 36"	500
WBS4-2448-74	24" x 48"	400	WBT4-2448-74	24" x 48"	400
WBS4-2460-74	24" x 60"	300	WBT4-2460-74	24" x 60"	300
WBS4-2472-74	24" x 72"	300	WBT4-2472-74	24" x 72"	300

Model Number	Shelf Size
Extra Shelf	
205-BS1836	18" x 36"
205-BS1848	18" x 48"
205-BS1860	18" x 60"
205-BS1872	18" x 72"
205-BS2436	24" x 36"
205-BS2448	24" x 48"
205-BS2460	24" x 60"
205-BS2472	24" x 72"

Black Powder Coated Mobile Units

These mobile wire shelving units are attractive and highly functional. Open wire design reduces dust build up and improves air circulation. Units include four 5" locking swivel casters. Powder coated black finish is chip and scratch resistant. Shelves are adjustable in 1" increments. Easy to assemble. No special tools required. Choose from unit height of 36" or 69". Maximum Unit Capacity: 700 lbs.

Available
63" & 86"
High

NSF



Locking Casters
Included

Shelf Size	Model Number	Weight Lbs.
2 Shelf Unit - 36" High		
18" x 36"	WBC2-1836-30	34
18" x 48"	WBC2-1848-30	40
18" x 60"	WBC2-1860-30	43
18" x 72"	WBC2-1872-30	48
24" x 36"	WBC2-2436-30	41
24" x 48"	WBC2-2448-30	47
24" x 60"	WBC2-2460-30	53
24" x 72"	WBC2-2472-30	61
4 Shelf Unit - 69" High		
18" x 36"	WBC4-1836-63	57
18" x 48"	WBC4-1848-63	69
18" x 60"	WBC4-1860-63	75
18" x 72"	WBC4-1872-63	85
24" x 36"	WBC4-2436-63	71
24" x 48"	WBC4-2448-63	83
24" x 60"	WBC4-2460-63	96
24" x 72"	WBC4-2472-63	111

Steel Service Carts

Heavy duty service carts featuring 100% steel construction. Carts are completely set up and welded for years of rugged service. Heavy duty ball-bearing casters with 5" or 6" rubber wheels are bolted on to carts for easy removal when needed. All carts include two rigid and two swivel casters. Carts with 5" casters have a capacity of 600 lbs. Carts with 6" casters have a capacity of 1600 lbs.

Carts with 5" Casters

Model Number	Size W x L
Tray Shelves	
SCT1630	16" x 30"
SCT2436	24" x 36"
SCT2448	24" x 48"
Deck Shelves	
SCD1630	16" x 30"
SCD2436	24" x 36"
SCD2448	24" x 48"

Carts with 6" Casters

Model Number	Size W x L
Tray Shelves	
SCTS2436	24" x 36"
SCTS2448	24" x 48"
Deck Shelves	
SCDS2436	24" x 36"
SCDS2448	24" x 48"



Steel Platform Trucks

These durable platform trucks are constructed of heavy gauge steel and are all welded to provide years of service. Deck of platform is reinforced to give these rugged trucks incredible strength. All carts feature removable handle and two handle cross braces. All platform trucks include 2 swivel (at handle) and 2 rigid casters.



- All Welded Steel Construction
- 2 Swivel & 2 Rigid Casters
- Heavy Duty Casters
- High Capacity
- Available w/ 5", 6", or 8" wheels

Model Number	Caster Size	Truck Capacity	Size W x L
PR2448	5"	800 lbs.	24" x 48"
PR2754	5"	800 lbs.	27" x 54"
PR3060	5"	800 lbs.	30" x 60"
PR3672	5"	800 lbs.	36" x 72"
PS2448	6"	1600 lbs.	24" x 48"
PS2754	6"	1600 lbs.	27" x 54"
PS3060	6"	1600 lbs.	30" x 60"
PS3672	6"	1600 lbs.	36" x 72"
PW2448	8"	2000 lbs.	24" x 48"
PW2754	8"	2000 lbs.	27" x 54"
PW3060	8"	2000 lbs.	30" x 60"
PW3672	8"	2000 lbs.	36" x 72"

Platform Trucks with Fold-down Handle

These versatile platform trucks feature a fold-down handle for easy transport and storage. Ideal for transporting boxes and light equipment around the office and warehouse. Plastic bumpers protect walls, furniture and doorways. Model PFD1 includes 4" caster wheels. Model PFD2 includes 5" caster wheels.

- Handle Folds Down for Easy Storage
- 2 Swivel and 2 Rigid Casters

Model Number	Size W x L	Weight Cap.
PFD1	17" x 27"	300
PFD2	22" x 34"	500



For more specific information on ladders, rolling ladders, and heavier duty pallet racks that are not featured in this catalog, please contact our Customer Service Department.


These products will be featured in our revised catalogs coming soon.

CustomerCare@affordablesheving.com

www.affordablesheving.com

1-800-834-3834

**Affordable Shelving
P.O. Box 18371
Anaheim, CA 92817-8371**



AFFORDABLE SHELVING

www.affordablesheving.com

1-800-834-3834

P.O. Box 18371
Anaheim, CA 92817-8371